

INDEX MAPS. **T. 22N, R. 6 E. 2nd Mer.**

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

418

420

418

419

417

419

417

419

417

417

418

T. 22N, R. 6 E. 2nd Mer.

427

426

426

425

425

425

427	6	444	5	439	4	435	3	432	2	430	1	423
	445		444		440		436		432		430	
427	7	445	8	440	9	436	10	433	11	430	12	423
	446		445		440		437		433		431	431
428	18	446	17	441	16	437	15	434	14		13	423
429			447		441		438		434			432
428	19	447	20	442	21	438	22	435	23		24	424
429	449	449	448		442		438		435			
	429	429	429			439						
	30		29	442	28		27		26		25	
			444	443								
	31		32	33		34		35		36		

427


426

426

425

425

425

 The figures on the lines refer to the page.

417

Township N. 22 North, Range N. 6 East 2. Mer. Ind. a.

Township Lines.

Chas. L. M. South Boundary. Var. 6. 15. E.

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Spruce 12 in. dia. bears S 87° W 20 Mts. dist. 8

an Ash 10 " " " S 40° E 21 " "

80.00 set post cor. of sec. 35 & 36 from which

an Ash 10 in. dia. bears S 43° W 5 Mts. dist. 8

an Elm 18 " " " S 59° E 14 " "

Rich land. Timber Beech, Sugar, Ash, Elm
& Wgs. Spruce

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 5° E 6 Mts. dist. 8

an Ash 10 " " " S 35° E 27 " "

80.00 set post cor. of sec. 34 & 35 from which

an Ash 24 in. dia. bears S 27° E 5 Mts. dist. 8

a Do 8 " " " N 70° W 8 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a W. Oak 24 in. dia. bears N 70° W 15 Mts. dist. 8

a Poplar 12 " " " S 39° W 19 " "

80.00 set post cor. of sec. 33 & 34 from which

an Ash 10 in. dia. bears N 70° E 7 Mts. dist. 8

a Beech 8 " " " S 1° W 11 " "

Land &c. same as last described

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 64° W 15 Mts. dist. 8

a Do 8 " " " N 71° E 18 " "

80.00 set post cor. of sec. 32 & 33 from which

an Elm 18 in. dia. bears S 65° W 6 Mts. dist. 8

T. 22 N., R. 6 E. 2. Mer. Ind.^a
 Ehs. 10?

an Ash 10 in. dia. bears N 65 E 21 Ms. dist.
 Land &c same as last described.

West on the S. Boundary of Sec. 32

40.00 set g. sec. post from which

a R. Oak 12 in. dia. bears N 66 W 10 Ms. dist. &

an Elm 8 " " " S 62 W 10 " "

80.00 set post cor. of sec. 31 & 32 from which

an Elm 8 in. dia. bears N 23 E 21 Ms. dist. &

a Maple 36 " " " N 22 W 27 " "

Land &c same as last described.

West on the S. Boundary of Sec. 31

32.40 Intersect S. Boundary of Miami Reservation,
 set post from which

a Gum 12 in. dia. bears N 75 E 21 Ms. dist. &

an Ash 8 " " " S 37 W 16 " "

Land &c same as last described.

January 5, 1820

East Boundary. Var. 5.30 E.

Bearings at corner of T. 21 & 22 N., R. 6 & 7 E

a W. Oak 10 in. dia. bears S 27 E 5 Ms. dist. &

an Ash 10 " " " N 48 W 15 " "

North on the E. Boundary of Sec. 36

40.00 set g. sec. post from which

a Bur Oak 20 in. dia. bears N 68 E 15 Ms. dist. &

an Ironwood 6 " " " S 27 W 5 " "

69.30 Intersect S. Boundary of Miami Reservation,
 set post from which

a W. Elm 6 in. dia. bears S 25 W 7 Ms. dist. &

a Gum 10 " " " S 6 E " " "

Land level 2^d rate. Oak, Ash & Elm

John M. Donald
 Deputy Surveyor.

6th & 8th. T. 22 N., R. 6 E. 2^d Mer. Ind.?

Subdivision. Var. 5. 30' E.

North between Sec. 35 & 36

40.00 set q. sec. post from which
a Sap. Ash 6 in. dia. bears S 38 E 10 W. dist. 3
a Do 8 " " " S 50 W 10 " "
50.69 Intersect S. Boundary of Miami Reservation,
set post from which
a W. Elm 30 in. dia. bears S 30 E 15 W. dist. 2
a Maple 18 " " " S 61 W 13 " "
Land level wet. Oak, Maple, Elm. Spice

North between Sec. 34 & 35

40.00 set q. sec. post from which
a W. Elm 14 in. dia. bears N 87 W 22 W. dist. 3
a Do 10 " " " N 46 E 25 " "
44.20 Intersect S. Boundary of Miami Reservation,
set post from which
a W. Elm 13 in. dia. bears S 39 E 26 W. dist. 2
a Do 6 " " " S 26 W 6 " "
Land level 2^d rate. Timber Ash, Oak, Hickory
Upr. Spice & P. Ash

North between Sec. 33 & 34

2.75 a B. Ash 12 in. dia.
29.60 Intersect S. Boundary of Miami Reservation,
set post from which
a B. Ash 8 in. dia. bears S 41 E 6 W. dist. 2
a Do 10 " " " S 20 W 22 " "
Land level 3^d rate. Timber B. Ash, Maple,
Oak, Hickory. Upr. Spice

North between Sec. 32 & 33

16.44 set corner post between Sec. 32 & 33, no line
found, from which
a Beech 15 in. dia. bears S 35 E 18 W. dist. 2
a Do 10 " " " S 69 W 23 " "

T. 22 N., R. 6 E. 2. Mer. Ind.^a

Ch. 1. 1st.

Land level 3. rate. Timber Ash, Oak, Hickory,
Beech. Ulp. Spice

North between Sec. 31 & 32

3.22 Corner of sec. 31 & 32 on Reserve line from which

a R. Oak 12 in. dia. bears S 40 E 33 1/2, dist. 25

a Bur Oak 10 " " " S 55 W 33 " "

Land 3. rate level. Timber Ash, Oak, Hickory,

Elm. Ulp. Spice.

Surveyed in 1824 by

James Worthington

Deputy Surveyor.

I certify that the foregoing transcript of Field
Notes of the survey of Township N. 22 North, of
Range N. 6 East of the 2. Principal Meridian,
in the State of Indiana, has been compared with
the original on file in this office, and found to
be correct.

Surveyor General's Office,
Cincinnati, Feb. 13, 1845 }

William Johnston
Sur. Genl.

Townships N. 23, 24 & 25 North of Range N. 6
East 2. Principal Meridian, Indiana, are
situated in the Miami Reservation.

INDEX MAPS.

T.21N. R. 6 E . 2^d Mer.

171
S. Boundary of Reserve.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T.22N. R. 6 E . 2^d Mer.

<i>177</i>	<i>178</i>	<i>178</i>	<i>179</i>	<i>179</i>	<i>179</i>	
<i>182</i> 6	<i>209</i> 5	<i>202</i> 4	<i>197</i> 3	<i>192</i> 2	<i>187</i> 1	<i>177</i>
<i>208</i>	<i>208</i>	<i>201</i>	<i>196</i>	<i>192</i>	<i>187</i>	
<i>182</i> 7	<i>207</i> 8	<i>201</i> 9	<i>196</i> 10	<i>191</i> 11	<i>186</i> 12	<i>177</i>
<i>207</i>	<i>206</i>	<i>200</i>	<i>196</i>	<i>191</i>	<i>186</i>	
<i>181</i> 18	<i>206</i> 17	<i>200</i> 16	<i>195</i> 15	<i>191</i> 14	<i>186</i> 13	<i>176</i>
<i>206</i>	<i>205</i>	<i>199</i>	<i>195</i>	<i>190</i>	<i>185</i>	
<i>181</i> 19	<i>205</i> 20	<i>199</i> 21	<i>194</i> 22	<i>190</i> 23	<i>184</i> 24	<i>176</i>
<i>204</i>	<i>204</i>	<i>199</i>	<i>194</i>	<i>189</i>	<i>184</i>	
<i>180</i> 30	<i>203</i> 29	<i>198</i> 28	<i>194</i> 27	<i>189</i> 26	<i>183</i> 25	<i>175</i>
<i>203</i>	<i>202</i>	<i>198</i>	<i>193</i>	<i>188</i>	<i>183</i>	<i>175</i>
<i>180</i> 31	<i>202</i> 32	<i>197</i> 33	<i>193</i> 34	<i>188</i> 35	<i>183</i> 36	<i>175</i>
<i>175</i>			<i>S. Boundary of Reserve.</i>			

(P) The figures on the lines refer to the page.

Township No. 22 N. Range No. 6 E. 2nd Mer. Indiana. ¹⁷⁵
Chs. Co.

South Boundary

Re-Survey of that portion of South
Boundary, within the Miami Reserve

"Witness" Cor. to Towns 21 & 22 North
Range 5 & 6 East
a Beech 10 in. diam. b. N 72 W. 4 1/2 k. x
a Sugar 10 " " " N 52 E. 5 "

N 89.19 E. On G. Boundary, of Sec. 31.

17.20 a W. Oak 30 in. diam.

42.80 Set 2nd Sec. post p. 100.

a Beech 9 in. diam. b. N 66 E. 24 k. x

a Do 8 " " " N 26 W. 14 "

45.40 Intersected Reserve Line at post &
took new bearings

a Beech 8 in. diam. b. N 83 E. 34 k. x

a Do 6 " " " N 40 W. 59 "

Land Line from rate Timber
Beech, Lym. Sugar, Ash, Oak, Elm.

Surveyed Dec. 4th 1846 by

John Mullett

Depy. Surveyor.

East Boundary.

N 10 W. On E. Boundary, of Sec. 30

From G. Boundary, of Miami Reserve

10.70 Set post Cor. to Sec. 25 & 36 p. 100.

a B. Ash 12 in. diam. b. N 44 W. 27 k. x

an Elm 15 " " " N 19 W. 20 "

Land Line from B. Ash,
Elm, Oak, Maple.

N 10 W. On E. Boundary, of Sec. 25

16.70 a Lym 18 in. diam.

T. 22 N. R. 6 E. 2nd Mer. Indiana 77
Chick.

Land Sur. Junt. - Timber
Beech, Ash, Elm, Oak, Maple, Hickory,
Sugar, Lym. Buckeye &c -

N. 10th On E. Boundary of Sec. 12

23.30 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. b. N 37th W. 28th h. x

" Do 12 " " " S 56th E. 20 "

61.50 a Do 18 " "

75.00 a Road E. & W.

80.17 Set post Cor. to Sec. 12 & 12 p. wh.

a Beech 10 in. diam. b. N 25th W. 50th h. x

a W. Ash 12 " " " S 60th W. 45 "

Land gently rolling first
rate. W. Ash, Beech, Sugar, Ironwood,
Hickory, Lym. Buckeye, W. Moraine.

N. 10th On E. Boundary of Sec. 1

21.30 a Beech 18 in. diam.

26.50 a Stream 18 h. wide co. West

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. b. N 34th E. 34th h. d. in.

a Do 10 " " " N 24th W. 33 " "

60.40 a Do 10 " "

76.00 Intentional Sec. Cor. at post

(See N. Boundary for Witness)

Land Soil and Timber
Same as last mile - Dec. 6, 1846.

North Boundary.

N 69th 30th E. On S. Boundary of Sec. 31, T. 23 N. R. 6 E. var. 15th 30th E.

12.11 a W. Oak 20 in. diam.

37.41 Set 2nd Sec. post p. wh.

a Maple 10 in. diam. b. N 20th W. 20th h. d. in.

P. 22 N. R. 6 E. 2nd Mer. Indiana.
 clo. lks.

a Sycamore 12 in. diam. b. 70 E. 7 lks. dir.
 59.66 a Maple 12 " "
 77.41 Set post Cor. to Sec. 31 & 32 p. wch.
 a Maple 6 in. diam. b. 137 W. 32 lks. &
 a B. Ash 6 " " " N. 12 E. 16 "

Land Sur. wch. 2nd Rate
 Maple, Ash, Elm, Oak, Sycamore,
 Beech, Sugar Hickory &c

N. 89° 30' E On T. Boundary, of Sec. 32. T. 23 N. R. 6 E.
 Variation 4° 46' East

20.73 an Elm 16 in. diam

46.00 Set 2nd Sec. post p. wch.

a B. Ash 8 in. diam. b. N. 2 E. 30 lks. &

a Beech 7 " " " S. 2 W. 17 "

65.25 an Elm 10 " "

80.00 Set post Cor. to Sec. 32 & 33 p. wch.

a Sycamore 12 in. diam. b. N. 35 E. 30 lks. &

a Do 12 " " " N. 50 W. 10 "

Land Sur. wch. 2nd Rate
 Clay Soil. Maple, Ash, Oak,
 Sycamore, Elm, Beech, Sugar, Spruce &c

N. 89° 30' E On T. Boundary, of Sec. 33. T. 23 N. R. 6 E.
 Variation 4° 40' East

19.44 a Beech 8 in. diam

40.10 Set 2nd Sec. post p. wch.

a B. Oak 6 in. diam. b. S. 10 W. 20 lks. dir.

a B. Ash 8 " " " N. 54 E. 32 " "

59.96 a W. Wood 14 " "

62.50 a Road N. & S.

74.00 a Straw 10 lks. wide cor. N. W. Shagbark

81.00 Set post Cor. to Sec. 33 & 34 p. wch.

a W. Ash 10 in. diam. b. N. 51 W. 36 lks. &

a Sugar 12 " " " N. 70 E. 37 "

Land Sur. wch. 2nd Rate

T 22 N. Q. 6 E. 2nd Mer. Indiana. 179
ch. lks.

clay soil - Beech, Ash, Maple, Oak,
Syr. Sugar, W. Wood, Ironw. Hickory,
Cherry &c -

N 89° 30' E On S. Boundary of Sec. 34 T 23 N. R. 6 E.
21.97 a B. Oak 10 in. diam. (Var. 4.40 E.
40.00 Set 2nd Sec. post p. wh.
a Maple 7 in. diam. B. N 50 E. 2 lks. &
a Do 10 " " " 1.46 W. 15 "
47.00 a Stream 10 lks. wide ca. N. W.
62.33 a Syrm 10 in. diam.
80.00 Set post Co. to Sec. 34 & 35 p. wh.
a W. Oak 6 in. diam. B. N 33 W. 9 lks. &c.
a Syrm 9 " " " N 34 E. 22 " "
Land fine best, rolling fine
rate. Clay soil - E. half Sec. 34 & 35
Syr. Elm, Oak, Ash, Maple, Hick.
Beech, Sugar &c -

N 89° 30' E. On S. Boundary of Sec. 35 T 23 N. R. 6 E.
Variation 4.45 East
18.38 an Elm 14 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Beech 7 in. diam. B. S 42 E. 8 lks. &c.
a W. Beech 6 " " " N 38 W. 25 " "
56.80 a Beech 8 " " "
80.00 Set post Co. to Sec. 35 & 36 p. wh.
a Beech 7 in. diam. B. N 78 W. 42 lks. &c.
a Sugar 14 " " " N 43 E. 64 " "
Land slightly rolling fine
Rate. Clay soil - Beech, Sugar, Oak
Elm, Ironw. Hickory, Ash,
Maple &c -

N 89° 30' E. On S. Boundary of Sec. 36 T 23 N. R. 6 E.
Variation 4.50 East

T. 22 N. R. 6 E. 2nd Mer. Indiana

Chs. lbs.

20.40 a W. Ash 12 in. diam.

24.00 a Roan A.Y.S.

40.00 Sel 2nd Sec. for p. wh.

a Beech 8 in. diam. b. N. 30 E. 15 lbs. &

a Do 6 " " " 9.70 E. 19 "

57.80 a Buckeye 12 " "

80.00 Sel for Cor. to Towns 22 & 23 North
Ranges 6 by 6 East p. wh.

a Beech 8 in. diam. b. N. 40 E. 41 lbs. &

a Do 10 " " " 9.38 W. 38 "

(Intervened at Ten. p. for)

Land slightly rolling
fine rate. Clay soil - Beech, Sugar
Hickory, W. B. Ash, Elm, Gum, Maple,
Oak, Spruce -

West Boundary.

Var. 4th 15' East

N. 5th On E. Boundary of Sec. 36. T. 22 N. R. 5 E.

5.50 a Hickory 18 in. diam.

40.00 Sel 2nd Sec. for p. wh.

a Beech 10 in. diam. b. N. 68 W. 12 lbs. &

a Do 8 " " " N. 50 W. 45 "

72.70 an Elm 14 " "

80.00 Sel for Cor. to Sec. 25 & 36 p. wh.

an Elm 16 in. diam. b. N. 80 W. 15 lbs. &

a B. Ash 8 " " " 9.22 W. 51 "

Land level fine rate, Beech
Ash, Oak, Sugar, Elm, Maple, Hickory,
Gum, Spruce -

N. 5th On E. Boundary of Sec. 25. T. 22 N. R. 5 E.

10.52 a W. Ash 18 in. diam.

40.00 Sel 2nd Sec. for p. wh.

a Maple 10 in. diam. b. N. 7 W. 20 lbs. &

a Do 12 " " " N. 31 E. 18 "

T22 N. R. 6 E. 2nd Mer. Indiana.

cks. lks.

- 52.40 a W. Oak 18 in. diam.
 80.00 Set post Cor. to Sec. 24 & 25 p. wh.
 a Sugar 18 in. diam. @ \$23 W. 36 lks. dis.
 a Beech 12 " " " N. 49 W. 65 " "
 Land Sur. & soil Oak, Rich,
 Sugar, Gum, Iron, M. Wood, Sycamore,
 Maple &c.

- N. 5th On E. Boundary of Sec. 24 T22 N. R. 5 E.
 15.12 a Hickory 10 in. diam.
 22.00 a Stream 8 lks. wide co. W. & S. W.
 40.00 Set 2nd Sec. post p. wh.
 a W. Oak 14 in. diam. @ \$28 W. 7 lks. dis.
 a Beech 10 " " " N. 58 E. 25 " "
 51.75 an Elm 18 " " "
 72.00 a Road S. E.
 80.00 Set post Cor. to Sec. 13 & 24 p. wh.
 a Hickory 15 in. diam. @ \$36 W. 28 lks.
 a Beech 10 " " " N. 43 W. 48 "
 Land first rate Soil and
 rich - Beech, Sugar, Gum, Oak,
 Elm, Maple, Hickory, Ash,
 Sycamore, Buckeye - Dec. 3. 1846

- N. 5th On E. Boundary of Sec. 13 T22 N. R. 5 E.
 11.00 a Road S. E.
 31.57 a W. Oak 30 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a B. Oak 10 in. diam. @ \$45 W. 16 lks.
 a Gum 8 " " " N. 62 E. 40 "
 51.00 a Stream 10 lks. wide co. W. Rapid
 69.12 a B. Oak 10 in. diam.
 80.00 Set post Cor. to Sec. 12 & 13 p. wh.
 an Elm 18 in. diam. @ \$36 W. 39 lks. dis.
 a Do 15 " " " N. 25 W. 46 " "
 Land Sur. first rate -

T. 22 N. R. 6 E. 2nd Mer. Indiana.
 No. 16.

Ash. Elm. Oak. Hickory, Lym.
 Maple. Ironwood. W. Wood.

N. 5th On E. Boundary of Sec. 12. T. 22 N. R. 5 E.

20.13 a Sycamore 36 in. diam.

40.00 Set 2nd Sec. post p. w. h.

a Beech 10 in. diam. to 162 W. 15 lbs. &

a Do 6 " " " 183 E. 17 "

49.00 a B. Oak 12 " "

60.00 Enter Swale E. & W.

76.00 Leave Do E. & W.

80.00 Set post Cor. to Sec. 1 & 12 p. w. h.

a Beech 12 in. diam. to 174 W. 36 lbs. &

a Do 12 " " " 174 W. 25 "

Land Sur. & Rich. W. Wood

Ironwood, W. B. Ash, W. B. Oak, Lym.

Sugar. Beech Elm. Maple, Hickory,

Sycamore &c.

N. 5th On E. Boundary of Sec. 1. T. 22 N. R. 5 E.

2.50 a Road N. E.

10.45 a B. Oak 24 in. diam.

23.00 a Road N. W.

40.00 Set 2nd Sec. post p. w. h.

an Elm 12 in. diam. to 120 W. 35 lbs. &

a Do 10 " " " 168 E. 20 "

45.00 Enter Swale N. E.

57.50 a B. Ash 12 in. diam.

65.00 Leave Swale E. & N. E.

77.50 Intersection Town Cor. at post

Witness Cor. to Towns 22 & 23 North

Ranges 5 & 6 East are

a Beech 12 in. diam. to 165 E. 50 lbs.

a Burr Oak 12 " " " 148 W. 35 "

Land Sur. & Sec. 2

note - Timber B. Ash. Oak

T. 22 N. R. 6 E. 2nd Mer. Indiana.
chs. lks.

Elm. Maple, Sym. Hickory,
Sycamore, Beech Sugar. fr.
Surveyed in 1846. by
John Mullitt
Deputy Surveyor.

Subdivision

Var. 5th 10' East

N. 10' W. Between Sections 35 & 36

From post on S. Boundary of Miami Reserve
15.00 a Stream 40 lks. wide - Sluggish Muddy
Bottom co. S. W.

23.31 Set post Cor. to Sec. 25, 26, 35 & 36 p. w. h.
a Hackberry 12 in. diam. B. 4.58 W. 26 lks. dis.
a Maple 24 " " " N. 41 E. 32 " "

This part of mile is level & not
fissurate soil. Hackberry, Maple, Elm,
Sym. Oak, some Beech. - P. Ash & Spruce

East On Random Betwth Sec. 25 & 36.

5.00 a Stream 30 lks. wide, Sluggish co. N. & W.

04.00 a Trail N. W.

80.80 Intersected E. Boundary, 60 lks. N. of post
Land level not - P. Ash Sand
fissurate Clay soil - Elm, Sym. P. Ash,
Sup. Oak, Maple fr. some P. Ash & Briers -

West Corrected Betwth Sec. 25 & 36

21.00 a P. Ash 12 in. diam.

40.40 Set 2nd Sec. post p. w. h.

a W. Ash 12 in. diam. B. 4.54 E. 12 lks. dis.

a Do 8 " " " 4.76 W. 5 " "

60.80 a Do 18 " "

80.80 to Sec. Cor.

North Between Sections 25 & 26

T. 22 N. R. 6 E. 2nd Mer. Indiana.

ch. lbs.

- 2.00 a Trail N. E.
 20.00 a Beech 8 in. diam. a House
 about 5.00 Eop. here
 40.00 Set 2nd Sec. post p. wh.
 a B. Ash 10 in. diam. to 463 W. 15 lbs. &
 a Do 12 " " " N 31 E. 19 "
 60.50 a Do 10 " "
 80.00 Set post Cor. to Sec. 23, 24, 25, 26 p. wh.
 a B. Ash 12 in. diam. to 419 W. 10 lbs. &
 an Elm 10 " " " N 50 E. 54 "
 Land level fine red clay
 Soil rather wet - Timber with W. & B.
 Ash, Elm, Maple, Sugar, Oak, Beech.
 Sycamore, B. Walnut, Ironwood, White wood
 Spruce & P. Ash.

- East On Runaway Betw. Sec. 24 & 25
 80.30 Intersected E. Boundary. 16 lbs. d. of post
 Land level fine red clay
 Soil - Beech, Sugar, Sycamore, B. Walnut
 Hickory, Elm, W. & B. Ash, Maple, W. Beech.
 Spruce & P. Ash.

- West Corner Betw. Sec. 24 & 25
 21.70 a Sugar 18 in. diam.
 40.15 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. to 44 W. 11 lbs. dia.
 a W. Beech 6 " " " N. 15 E. 25 "
 54.60 an Elm 18 " "
 80.30 to Sec. Cor.

- North Between Sections 23 & 24
 20.10 a W. Wood 18 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 6 in. diam. to N 50 E. 10 lbs. dia.
 a Buckeye 6 " " " 46 W. 10 " "

22 N. R. & E. 2nd Mer. Indiana. 185

do. lks.

42.00 Suggish wet weather stream lks. - co. M. & M.
 55.70 a White wood 15 in diam
 86.00 Set post Cor. to Sec. 13, 14, 23, 24 p. wh.
 a Beech 6 in. diam. N. 53 E. 43 lks. dis.
 a Do 8 " " " S. 68 W. 19 " "
 Land here rich fine sate-
 clay soil - Beech, Sugar, Hickory,
 B. Walnut, W. Wood, Hornwood, W. & B.
 Oak, Lym. Sycamore, W. & B. Ash, Elm
 Buckeye - Spice & P. Ash

East On Random Betw. Sec. 13 & 24

26.00 a Run 6 lks. wide co. S. M.
 79.90 Intermittent E. Boundary 25 lks. N. of post
 Land here fine sate clay soil
 Beech, Sugar, B. Walnut, Hickory, Buck-
 eye, Lym. Oak, Elm, W. Wood, Hornwood,
 W. & B. Ash, Spice & P. Ash.

West Corners Betw. Sec. 13 & 24

21.20 a Sugar 10 in. diam.
 39.95 Set Post Sec. post p. wh.
 a Beech 12 in. diam. N. 33 W. 20 lks. dis.
 a W. Ash 10 " " " N. 71 E. 34 "
 60.00 a B. Ash 10 " "
 79.90 to Sec. Cor. Dec. 2nd 1846

N. 10th Between Section 13 & 14

21.20 a Sugar 10 in. diam.
 39.95 Set Post Sec. post p. wh.
 a Beech 12 in. diam. N. 33 W. 20 lks. dis.
 a W. Ash 10 " " " N. 71 E. 34 "
 60.00 a B. Ash 10 " "
 79.90 to Sec. Cor. Dec. 2nd 1846.

(617-61.)

N. 10th

T. 22 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

N. 10th. Between Sections 13 & 14

23.80 a W. Oak 36 in. diam.

40.00 Set 2nd Sec. post p. wh.a Beech 6 in. diam. to S 23rd M. 20 lks. dis.a Do 12 " " " N 17th E. 30 " "

61.20 a W. Oak 12 " "

80.00 Set post Cor. to Sec. 11, 12, 13, 14 p. wh.

a Beech 8 in. diam. to S 55th M. 27 lks. dis.a Do 12 " " " N 45th E. 66 " "Land Soil primarily Clay
Soil - Beech, Whiteoak, Gum, Ironwood,
Sycamore, Sugar, B. Walnut &c. Magnolia,
Spice & P. Ash. -

East On Random Betw. Sec. 12 & 13

79.92 Intimated E. Boundary, at post

Land timber &c. same as last mile

West On Same Line

20.00 a Hickory 15 in. diam.

39.96 Set 2nd Sec. post p. wh.a B. Ash 12 in. diam. to S 30th E. 25 lks. dis.a W. Oak 36 " " " N 21st W. 30 " "

73.47 a Gum 12 " "

79.92 to Sec. Cor.

N. 10th. Between Sections 11 & 12

20.00 a Wet weather Strawn &c. co. Westward

23.20 an Elm 15 in. diam.

40.00 Set 2nd Sec. post p. wh.a Beech 12 in. diam. to S 54th E. 10 lks. dis.a Do 6 " " " N 32nd W. 11 " "

59.90 a Beech 15 " "

73.50 a Road E. & W.

80.00 Set post Cor. to Sec. 1, 2, 11, 12 p. wh.

a B. Ash 15 in. diam. to N 31st W. 40 lks.

T2 N. R. 6 E. 2nd Mer. Indiana ¹⁸⁷
 chs. lks.

a B. Ash 12 in. diam. @ 56.17 lbs. air.
 Lane Soil rich fine rate.
 Clay soil - Elm, Butternut, Beech B. Walnut
 Sycamore, Hickory, Lym. W. Wood
 Ironwood, Sugar, W. R. Oak.
 Wright, Spruce & P. Ash

East On Random Betw. Sec. 1 & 12
 5.00 a Stream 10 lks. wide co. N.W. Sluggish
 9.00 Same " S.W.
 13.00 Same " N.W.
 15.50 Same " S.W.
 24.00 a Road " E. N. E.
 47.00 Enter Field extending about 5.00 N. E.
 50.00 a House 400 North
 53.00 Lean Field N. E.
 69.00 a Road E. S. E.
 80.10 Interrupted E. Boundary 10 lks. N. of point
 Land gently rolling fine rate
 Clay soil - Beech Sugar Ironwood
 White wood, Hickory, Lym. W. R. Ash -
 Sycamore, W. R. Oak, B. Walnut, Wright,
 Spruce & P. Ash.

West Connected Betw. Sec. 1 & 12
 20.80 a Beech 10 in. diam.
 40.05 1st 2nd Sec. just past
 a Beech 10 in. diam. @ 54.19 lbs. air
 a Do 10 " " " N. 21 W. 30 "
 57.89 a Beech 6 " "
 80.10 to Sec. Cor.

N. 10th W. Between Sections 1 & 2
 2.50 a Stream 15 lks. wide co. N. E. W.
 20.20 a Beech 8 in. diam.
 40.00 1st 2nd Sec. just past.

T. 22 N. R. 6 E. 2nd Mer. Indiana.
chs. lks.

- a Beech 10 in. diam. to 10 ft. 12 lks. dis.
a Sycam 6 " " " N. 11 W. 32 " "
110.00 a Buckeye 15 " "
76.70 Interrupted N. Boundary at foot p. wh.
a Beech 10 in. diam. to 12 ft. 32 lks. &
a Do 8 " " " 35 W. 49 "
Land Soil rich clay
Soil - Timber Buckeye, Beech,
Sugar, Ironwood, Sycam. W. Wood
W. & R. Oak, Hackberry, B. Walnut
Sycamore & Spice and P. Ash.
Dec-3. 1846.

- N. 1st 30th. Between Section 34 & 35
From foot Beta. Sec. 34 & 35 on
S. Boundary of Reservation
4.50 a W. Ash 40 in. diam.
35.80 1st foot Co. to Sec. 26, 27, 34, 35 p. wh.
a W. Ash 24 in. diam. to 20 ft. 38 lks. &
a B. Ash 10 " " " N. 56 W. 37 "
Land Soil and rich
clay soil - rather wet - Timber
Beech, Sugar, Swamp Oak, B.
Walnut, Sycamore, Sycam. Ironw.
White. Wood, W. & B. Ash & -
Magnolia Spice & P. Ash.

- East On Random Beta. Sec. 26 & 35
14.50 a Stream 10 lks. wide co. Southernly
Sluggish - muddy Bottom
78.50 a Road N. S. W.
80.30 Interrupted N. P. Line 20 lks. E. of foot
Land Soil rich, Clay
Soil rather wet - Timber
Beech, Elm, B. Walnut,
Hackberry Buckeye Maple Sycam.

189

T. 22 N. R. 6 E. 2nd Mer. Indiana.
Chs. Co.

W. Wood Ironw^{ood} - Spruce & P. Ash.

West Cornered Butte. Sec. 26 x 35

20.25 a Sugar 18 in. diam.

40.15 Sel. 2nd Sec. for p. wh.

a Beech 8 in. diam. to N 5 W. 14 lbs. x

a Do 15 " " " S. 7 W. 30 "

59.90 a Hickory 18 " "

80.30 to Sec. Cor.

North Between Sections 26 x 27

17.50 a Wet weather Stream 10 lbs. wide.
Corm. Eastly

23.30 a B. Ash 8 in. diam.

40.00 Sel. 2nd Sec. for p. wh.

a Beech 15 in. diam. to N 35 W. 5 lbs. diam.

a Sugar 18 " " " 4, 46 & 21 " "

55.50 a W. Ash 12 " "

80.00 Sel. for Cor. to Sec. 22, 23, 26, 27. p. wh.

a Beech 8 in. diam. to S 62 E 21 lbs.

a Do 8 " " " N 34 W. 13 "

Land here fine
rate Clay Soil - W. B. Ash.

Beech, Elm, White and B. Oak.

Sycamore, W. Wood, Ironw^{ood}, Sycamore.

Wingth, Spruce & P. Ash.

East On Rancelon Butte. Sec. 23 x 26.

2.50 a Wet weather Stream 10 lbs. c. South.

25.00 a Do 30 lbs. wide. Sluggish c. S. W.

80.50 Interrupted N. S. Line 40 lbs. S. of four

Land here rich fine rate

Clay Soil - W. B. Ash, Elm, Beech, White &

R. Oak, W. Wood, Sycamore, Ironw^{ood}.

Sycamore - Wingth, P. Ash & Spruce

T22 N. R. & E. 2nd Mer. Indiana.

Ch. No.

West Corrected Beta² Sed. 23 & 26

18.00 a W. Wood 18 in. diam.

40.25 Set 2nd Sec. just sp. wh.

a Beech 12 in. diam. to N 20 E. 25 lbs.

a Do 6 " " " N 46 E. 20 "

67.32 a W. Ash 13 " "

80.50 to Sec. Cor.

North Between Sections 22 & 23

4.00 a Strain 10 lbs. wide co. E. (w. weather)

8.00 a Nail S. E. & V. W.

25.84 an Elm 24 in. diam.

40.00 Set 2nd Sec. just sp. wh.

a Beech 18 in. diam. to N 27 E. 19 lbs. dis.

a Do 6 " " " N 28 W. 27 " "

55.50 a B. Ash 10 " "

75.00 Enter Maple Swamp E. & W.

80.00 Set just Cor. to Sed. 14, 15, 22 & 23 sp. wh.

a Cottonwood 36 in. diam. to N 56 E. 28 lbs.

a B. Ash 12 " " " N 67 W. 26 "

Land Sully rich clay soil.

Timber with Beech, Sugar, Elm, & Spruce.

W. Wood, Ironw. W. B. Ash B. Walnut.

Sycamore, Spruce, P. Ash

In Sap. Cottonwood, B. Ash, Maple,

Sycamore &c

East On Random Beta² Sed. 14 & 23

12.00 Lean Swamp N. & S.

64.50 West weather Strain 10 lbs. wide co. S.

80.40 Interrupted N. & S. Line 12 lbs. S. of just

Land & same as last mile -

West Corrected Beta² Sed. 14 & 23

20.50 a Sugar 15 in. diam.

40.20 Set 2nd Sec. just sp. wh.

191

T. 22 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

a Cherry 12 in. diam. B. N 51 W. 9 lks. dir.
 a Beech 8 " " " S 10 W. 24 " "
 60.00 a Butternut 10 " "
 80.40 to Sec. Cor. Dec. 4. 1846

North Between Sections 14 & 15

5.00 Lean Swamp. E. of W.
 18.00 a Sycamore 18 in. diam.
 40.00 S. 2nd Sec. post p. wh.
 a B. Ash 8 in. diam. B. N 48 E. 7 lks. dir.
 an Elm 15 " " " S. 42 W. 15 " "
 60.55 a B. Ash 12 " "
 80.00 S. 2nd Sec. Cor. to Sec. 10. 11. 14. 15 p. wh.
 an Elm 12 in. diam. B. N 68 W. 25 lks. &
 a B. Ash 10 " " " S. 38 E. 46 "

Land Lure rich w/ Clay Soil
 Lym. Elm. Sycamore, W. B. Ash. Cottonwood.
 W. Wood. Ironwood, W. Oak, W. Beech.
 Maple Hick. fr. - Spruce & P. Ash

East On Random Betw. Sec. 11 & 14

80.30 Interrupted N. & S. Line 20 lks. S. of post
 Land Lure fine rate Clay Soil -
 w/ W. B. Ash. B. Walnut, Sugar. Lym.
 Maple fr. - Spruce & P. Ash -

West Corners, Betw. Sec. 11 & 14

31.00 a W. Ash 20 in. diam.
 40.15 S. 2nd Sec. post p. wh.
 a Beech 15 in. diam. B. N 38 W. 26 lks. dir.
 a Do 8 " " " S. 26 E. 26 " "
 58.30 a B. Oak 13 " "
 80.30 to Sec. Cor.

North Between Sections 10 & 11

20.60 W. L. weather Stream 10 lks. co. N. W.

T2 N. R. 6 E. 2nd Mer. Indiana. dw. Mts.

36.60 an Elm 10 in. diam.

40.00 Set 2nd Sec. for p. wh.

a Beech 20 in. diam. to S 56 E 21 lbs. dia.

a Hickory 12 " " " 58 W 22 " "

56.00 a Wet weather Stream 30 W. wide sluggish
- co. mostly

56.20 an Elm 12 in. diam.

80.00 Set for Cor. to Sec. 2, 3, 10, 11. p. wh.

an Elm 15 in. diam. to S 61 E 15 lbs. &

a Do 6 " " " 34 W 9 "

Land Level with clay
soil - Beech, B. Walnut, Hickory, Elm, Lym.
Ironbark, Sugar, P. Ash & Spruce

East On Random Betw. Sec. 2 & 11

43.00 a Road N.W. & E.

55.00 Bend of Stream W. N. W.

80.08 Intimated N. E. Line at point

Land Level with fine state
wet clay soil - Elm, W. P. Ash, Lym., Oak,
Hickory, Sugar, Beech - P. Ash & Spruce -

West Connected Betw. Sec. 2 & 11

21.50 a Buckeye 15 in. diam.

40.04 Set 2nd Sec. for p. wh.

a Beech 12 in. diam. to N 69 E 17 lbs. &

a Do 6 " " " 21 W 10 "

63.50 a W. Ash 30 " "

80.08 to Sec. Cor.

North Between Sections 2 & 3

6.00 a Road Ex W.

27.20 an Elm 18 in. diam.

28.50 a Stream 10 W. wide co. W. sluggish

40.00 Set 2nd Sec. for p. wh.

a Beech 12 in. diam. to N 5 E 12 lbs. dia.

193

T. 22 N. R. 6 E. 2nd Mer. Indiana

ch. lks.

- a Beech 10 in. diam. to 14 lks. x
 46.30 a R. Oak 12 " "
 77.46 Intersected N. Boundary at post p. wh.
 a B. Ash 10 in. diam. to 12 lks. 12 lks. dis.
 a Beech 12 " " " 447 W. 61 " "
 Land Sur. post p. wh. rate
 clay soil - Beech, W. B. Ash, W. B. Oak,
 Elm, Lym, Maple, Sycamore &
 Magn. Spruce & P. Ash. Nov 5. 1846.

- N. 1. W. Between Sections 33 & 34
 { 29.40 To S. Boundary of Reserve
 Old bearings }
 10.60 Set 2nd Sec. post p. wh.
 a W. Beech 8 in. diam. to 15 W. 5 lks. x
 a Do 6 " " " 121 E. 6 "
 30.70 an Elm 15 " "
 50.60 Set post cor. to Sec. 27, 28, 33, 34 p. wh.
 a Beech 10 in. diam. to 46 E. 14 lks.
 a B. Ash 12 " " " 449 E. 22 "
 Land Sur. sectioned pine
 rate - clay soil - Beech, Elm, Ironwood, W.
 Wood, W. B. Ash & P. Ash & Spruce

- East On Random Betwth Sec. 27 & 34
 79.50 Intersected N. S. Line 45 lks. S. of post
 Land Sur. not p. wh. rate - clay
 soil - Elm, W. B. Ash, Lym, Ironwood
 W. Wood, Hickory, Maple & P. Ash & Spruce

- West Connected Betwth Sec. 27 & 34
 20.90 a W. Oak 15 in. diam.
 39.75 Set 2nd Sec. post p. wh.
 a B. Ash 6 in. diam. to 18 E. 6 lks. x
 an Elm 15 " " " 978 W. 11 "
 50.72 an Elm 18 " "

194 T. 22 N. R. 6 E. 2nd Mer. Indiana.
ch. lks.

79.50 to Sec. Cor.

North Between Sections 27 & 28

25.25 an Elm 24 in. diam.

44.00 Set 2nd Sec. post path

a R. Oak 20 in. diam. N 35 W. 11 lks.

a W. Wood 18 " " N 72 E. 15 "

57.60 an Elm 15 " "

80.00 Set post Cor. to Sec. 21, 22, 27, 28 p. wh.

an Elm 15 in. diam. N 41 E. 39 lks.

a Lc 15 " " " N 32 W. 33 "

Land Lark rather well pine
rate clay soil. Beech, Elm, Ironwood
W. Wood, N. B. Ash, Maple, Sycamore, &
Hudgth. P. Ash & Spice

East On Random Bet^h Sec. 22 & 27.

79.80 Intersected N 41 E. Line 21 lks. S. of post.

Land Lark rich clay soil
Timber of the same as last mile -

West Cornuted Bet^h Sec. 22 & 27

18.75 a Sycamore 36 in. diam.

39.90 Set 2nd Sec. post path.

a Beech 16 in. diam. N 41 E. 35 lks.

an Elm 4 " " " N 38 W. 10 "

61.90 a Lym 10 " "

79.80 to Sec. Cor.

North Between Sections 21 & 22

36.52 a Beech 6 in. diam.

40.00 Set 2nd Sec. post path.

a Beech 8 in. diam. N 32 E. 26 lks.

a Lc 8 " " " N 36 W. 38 "

57.55 an Elm 15 " "

80.00 Set post Cor. to Sec. 15, 16, 21, 22 p. wh.

195

T. 22 N. R. 6 E. 2nd Mer. Indiana,
chs. lks.

B. Ash 12 in. diam. to N 72 E, 25 lks. &
a Do 12 " " " N 88 W, 27 "
Land Soil rich fine red clay
Soil but rather wet. Elm. W. B. Ash. Maple
Syc. W. Wood. Ironw. - P. Ash & Spruce

East On Random Betw. Secs. 15 & 22
77.00 Enter Swamp N. & S.
80.20 Interrupted N. & S. Line 15 lks. N. of post
Land Soil rich Clay Soil -
R. Oak. B. Ash. Syc. W. Wood. Ironw.
Hickory, W. Ash, Buckeye, Sycamore -
Undr. P. Ash & Spruce

West Concited Betw. Secs. 15 & 22
17.65 a Butternut 10 in. diam.
40.10 Set 2nd Sec. from p. wh.
a Beech 10 in. diam. to S 45 E, 24 lks.
" Do 8 " " " N 33 W, 25 "
49.54 a R. Oak 15 " "
80.20 to Sec. Cor. Dec. 6. 1846.

North Between Sections 15 & 16
26.25 an Elm 12 in. diam.
40.00 Set 2nd Sec. from p. wh.
a W. Ash 15 in. diam. to N 32 E, 16 lks. &
a Beech 10 " " " S 65 W, 31 "
59.00 a B. Ash 10 " "
80.00 Set from Cor. to Secs. 9, 10, 15, 16 p. wh.
a Beech 12 in. diam. to N 86 E, 39 lks. &
a Do 12 " " " S 77 W, 45 "
Land Soil rich, wet fine
red clay soil - Beech, Elm. W. B. Ash,
Maple, Syc. R. Oak, Sugar, Hickory,
W. Wood, Ironw. Buckeye & P. Ash & Spruce

196 T. 22 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

East On Random Betw² Secs. 10 & 15
80.15 Intersected N. & L. Line 23 lks. N. of Junc.
Land fr. same as last mile

West Connected Betw² Secs. 10 & 15
21.00 a W. Ash 12 in. diam.
40.07 Set 2nd Sec. Junc. p. wh.
a B. Oak 12 in. diam. B. 133 E. 5 lks
a W. Ash 15 " " " 130 W. 32 "
60.30 a Hickory 10 " "
80.15 to Sec. Cor.

North Return Sections 9 & 10
20.40 a Hickory 12 in. diam.
40.00 Set 2nd Sec. Junc. p. wh.
a Beech 8 in. diam. B. 115 W. 21 lks
a Ho 6 " " " N. 6 E. 16 "
59.80 a Lym 10 " "
80.00 Set Junc. Cor. to Secs. 3, 4, 9, 10 p. wh.
a Beech 10 in. diam. B. N 36 E. 35 lks
a W. Ash 10 " " " 112 W. 39 "
Land Sur. firm rate Clay
Soil. B. Walnut, Hickory, Beech, Lym.
W. Wood, Sycamore, Ironw², Buckeye &
Underth. P. Ash & Spruce

East On Random Betw² Secs. 3 & 10
15.00 Enter B. Ash Swale N. & L.
25.00 Lean Swale N. & L.
53.00 Wet weather Stream 30 lks. wide co
Northw²ly - Sluggish
80.30 Intersected N. & L. Line 30 lks. N. of Junc.
Land Sur. w² rich clay
Soil - B. Walnut, Buckeye, Hickory
Eh²u. Sugar, Maple, Ironw² - W. Wood
N. & B. Ash, Lym. P. Ash & Spruce

197

T. 22 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

West Connected Between Secs. 3 & 10

31.25 a Hickory 10 in. diam.

40.15 Set 2nd Sec. for l. p. wh.

a W. Wood 15 in. diam. to S. 75 W. 14 lks. &
an Ironb^o 6 " " " N. 65 E. 4 "

61.00 an Elm 12 " "

80.30 to Sec. 10.

North Between Sections 3 & 4

22.90 a Hickory 10 in. diam.

40.00 Set 2nd Sec. for l. p. wh.

a B. Ash 8 in. diam. to N. 5 W. 19 lks. &
an Elm 15 " " " S. 7 E. 10 "

51.35 a Beech 10 " "

57.00 a Road E. S. E. of W. N. W.

72.50 a Stream 30 lks. wide. ce. N. W. sluggish

77.50 Interrupted N. Boney, at point where

a R. Oak 10 in. diam. to S. 31 E. 24 lks.
an Elm 15 " " " S. 32 W. 14 "

Land Soil rich & well timbered.
N. B. Ash, Elm, Beech, Gum, W. Wood,
Ironb^o &c - R. Oak, & Spice

Dec. 7, 1846

N. 3/4 W. Between Secs. 32 & 33

16.44 To S. Boney of Reserve
Old Bearings

3.00 a Road E. of W.

4.20 a Beech 10 in. diam.

23.56 Set 2nd Sec. for l. p. wh.

a R. Oak 15 in. diam. to N. 46 W. 30 lks.

a Do 15 " " " S. 89 E. 25 "

44.00 a B. Walnut 30 " "

63.56 Set for l. cor. to Secs. 28, 29, 32, 33 p. wh.

a Beech 10 in. diam. to N. 56 W. 99 lks.

a Do 12 " " " N. 33 E. 14 "

T. 22 N. R. 6 E. 2nd Mer. Indiana

cls. lks.

Land Lure Rich firm rate
Clay Soil - Beech, B. Walnut, Sugar,
Lym. Hickory, W. & B. Oak, Elm, W.
Wood, Irono^g. - P. Ash & Spice

East On Random Butte Sec. 28 & 33
79.80 Inters. to N. & S. Line 10 lks. N. of point.

Land Lure Rich firm rate
Clay Soil - W. & B. Oak, Beech, B. Walnut,
Elm, Lym. - P. Ash & Spice

West. Cornelia Butte Sec. 28 & 33

19.90 a Beech 10 in. diam.

59.90 Set 2nd Sec. for p. wh.

a Beech 10 in. diam. to N. 14 W. 19 lks.

a Do 12 " " " 4.8 W. 40 "

61.00 a Do 8 " " "

79.80 to Sec. Cor.

North Between Section 28 & 29

27.50 a Sycamore 10 in. diam.

32.00 Enter Maple Swamp, N. E.

40.00 Set 2nd Sec. for p. wh.

a W. Ash 10 in. diam. to N. 10 E. 19 lks.

a Do 10 " " " 4.30 W. 20 "

53.00 Leave Swamp, N. E.

59.30 a Sycamore 18 in. diam.

80.00 Set for Cor. to Sec. 20, 21, 28, 29 p. wh.

a Beech 10 in. diam. to S. 54 E. 27 lks.

a W. Oak 30 " " " N. 76 W. 21 "

Land Lure rich firm rate
Clay Soil - but rather wet - Timber
W. & B. Oak, Lym, W. & B. Ash, Buckeye,
W. Wood, Irono^g. - Undergrowth.
P. Ash & Spice

199

T22 N. R. 6 E. 2nd Mer. Indiana,

cho. lks.

East On Random Betwth Secs. 21 & 28.

79.93 Interrupted N. & S. Line at foot

Land Line wth rich Clay
Soil - Elm, W. & B. Ash Cottonwood
Maple, Lym., Whitewood, Ironbark
Viney th. P. Ash & Spruce

West Connected Betwth Secs. 21 & 28

23.90 an Elm 15 in. diam.

39.96 Set 2nd Sec. foot p. w. h.

a B. Ash 16 in. diam. N. & E. 6 lks. alt.

an Elm 10 " " " " 4 E. 7 " "

61.75 a W. Wood 36 " "

79.93 to Sec. Cor.

North Between Sections 20 & 21

8.00 Enter Maple Swamp. S. E. & N. W.

18.00 a B. Oak 10 in. diam. & Leaf Sw. S. E.

35.00 Enter Swale E. & W.

40.00 Set 2nd Sec. foot p. w. h.

a W. Ash 12 in. diam. N. & S. 159 E. 17 lks. &

an Elm 10 " " " " 152 W. 7 "

45.80 a W. Ash 18 " "

56.00 Leaf Swale E. & W.

84.00 Set foot Cor. to Secs. 16, 17, 20, 21 p. w. h.

a B. Oak 36 in. diam. N. & S. 155 E. 7 lks. &

a Lym 10 " " " " 125 E. 57 "

Land for half mile North
Swamp - Timber with Maple, W. & B.
Ash, B. Oak, Cottonwood - Last
half mile - rich clay Soil - Soil and
rather wet - Sugar Bush, Oak, White
Wood, Hickory - P. Ash & Spruce

East On Random Betwth Secs. 16 & 21

36.00 Enter Maple & B. Ash Swale N. E. & S. W.

T 22 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

65.00 Lean Swale N. 6. x 4. W.
 79.90 Interscuta N. x S. Line 14 lks. N. of - from
 Land Surface (in Swale water
 one foot deep) Clay soil - first rate - W. B.
 Ash. Elm. Maple. Sugar. Lym. Beech
 W. Wood. Hornb. Cottonb. &c

West Corrected Betw^o Secs. 16 & 21

20.00 a B. Ash 10 in. diam.

39.95 1st 2nd Sec. part p. wh.

a W. Ash 12 in. diam. to N 38 W. 28 lks.

an Elm 12 " " " 4.3 W. 18 "

60.20 a R. Oak 20 " "

79.90 to Sec. Cor. Dec^r. 8. 1846.

North Between Sections 16 & 17

20.40 an Elm 12 in. diam.

40.00 1st 2nd Sec. part p. wh.

a Cottonb. 24 in. diam. to N 65 W. 6 lks.

a Gycamore 8 " " " 4.80 E. 16 "

60.46 a Beech 18 " "

80.00 1st part Cor. to Secs. 8, 9, 16, 17. p. wh.

a Sugar 8 in. diam. to N 32 E. 6 lks.

a Ho 10 " " " N 64 W. 29 "

Land Surface rather wet, first
 rate Clay soil - Sugar, Beech, Hicky,
 Lym. W. R. Oak, Buckeye, B. Walnut,
 Gycamore &c - P. Ash. & Spruce

East Qu. Random Betw^o Secs. 9 & 16.

80.09 Interscuta N. x S. Line 15 lks. N. of - from

Land first rate - Fine Clay
 soil - Sugar, Beech, Hicky, Lym.
 W. R. Oak, Buckeye, B. Walnut, Gyc-
 amore. Some Spruce & P. Ash. -

201

T22 N. R. 6 E. 2nd Mer. Indiana

Obs. 66.

West Cornelia Betwth Secs. 9 & 16.

23.10 a Sycamore 20 in. diam.

40.04 Set 2nd Sec. for p. wh.

a Lym 10 in. diam. θ N 33 E. 17 lbs. &

a Beech 12 " " " θ 32 E. 17 " "

53.52 a Lym 10 " "

60.09 to Sec. Cor. -

North Between Sections 8 & 9

22.47 an Elm 15 in. diam.

40.00 Set 2nd Sec. for p. wh.

a Beech 10 in. diam. θ N 30 W. 10 lbs. &

a Lc 8 " " " θ 59 E. 24 "

62.43 a W. Ash 15 " "

63.00 Enter B. Ash & Maple Swamp E & W.

80.00 Set for Cor. to Sec. 4. 5. 8. 9. p. wh.

a R. Oak 12 in. diam. θ N 60 E. 3 lbs. &

a W. Ash 15 " " " θ 60 W. 12 "

Sand Lure wet pine rate

Clay soil - Beech Lym. W. Ash.

R. Oak, Maple, Elm. Last 2000 Super.

water on foot deep. - B. Ash & Maple -

East On Random Betwth Secs. 4 & 9

400 Lean Lure θ K. S.

80.16 Intersected N. Y. Line 30 lbs. N. of post

Sand Lure pine rate - Clay

soil - Beech, Lym., Sugar. Elm. W. R.

Oak, Hickory, Sycamore, Ironwood

W. Wood - P. Ash & Spruce

West Cornelia Betwth Secs. 4 & 9

20.25 a B. Ash 12 in. diam.

40.08 Set 2nd for p. wh.

an Ironwood 6 in. diam. θ N 3 E. 18 lbs. dia.

a Beech 8 " " " θ 2 E. 13 " "

T22 N. P. 6 E. 2nd Mer. Indiana

Ch. Lk.

53.70 an Elm 15 in. diam.
80.16 to Sec. Cor.

North Between Sections 4 & 5

17.13 a W. Wood 12 in diam. S. S. E. S. E.

44.00 Set 2nd Sec. for p. wh.

a Beech 12 in. diam. S. S. E. 25 lbs. dia.

a Do 12 " " " N 68 W. 36 "

48.61 a Maple 8 " "

50.00 Enter B. Ash Swale E. & W.

60.00 Lean Do E. & W.

77.50 Intersected N. Boundary at p. wh.

a Maple 15 in. diam. S. S. W. 19 lbs. &

a Do 10 " " " S. 44 E. 15 "

Land Sur. wt. fine rate. Clay
Soil - Beech, Sugar, Sycam. Maple, W. &
B. Ash, Elm &c. Dec. 9, 1846.

N. 30' W. Between Sections 31 & 32 Var. 4th 20' E.

3.00 to S. Boundary of Precinct

Old bearings

16.40 a Beech 10 in. diam.

37.00 Set 2nd Sec. for p. wh.

a Beech 10 in. diam. S. S. W. 29 lbs. &

an Iron. 6 " " " N 72 E. 27 "

50.30 a Beech 10 " "

77.00 Set for L. Cor. to Sec. 29, 30, 31, 32 p. wh.

an Elm 15 in. diam. S. S. W. 26 lbs. &

a B. Ash 10 " " " N 31 W. 53 "

Land Sur. fine rate. Clay
Soil - Beech, Sycam. W. B. Oak, B. Walnut
White Wood, Iron. Sycam. W. B. Ash,
Maple &c. P. Ash & Spice

East On Gandon But. to Sec. 29 & 32

18.50 a Stream 8 ft. wide c. S. E. Shaggyish

T22 N. R. & E. 2nd Mer. Indiana ²⁰³

ch. 10.

48.30 a Road E. & E.

79.80 Interrupted N. & S. Line 19 k. N. of road
Land slightly rolling firm rate
Clay soil - Beech, Sugar, B. Walnut,
W. Wood, Ironwood, Hickory, Gum, W. R.
Oak, W. B. Ash

West Corrected Between Sec. 29 & 32

22.25 a Beech 10 in. diam.

39.90 1st 2nd Sec. from p. a h.

a Beech 8 in. diam. N. 23 E. 39 k. x

a W. Ash 20 " " N 18 E. 12 "

51.10 a Sugar 15 " "

79.80 to Sec. Cor.

West On Random Between Sec. 30 & 31

81.95 Interrupted N. Boundary 25 k. N. of road

Land level rich soil Clay
Soil W. R. Oak, Beech, Sugar, B.
Walnut, W. Wood, Ironwood, W. R. Ash,
Unappth. R. Ash & Spice

East Corrected Between Sec. 30 & 31

a Beech 8 in. diam. N. 23 E. 33 k. x

an Elm 10 " " N 35 E. 22 "

36.52 an Elm 18 " "

41.95 1st 2nd Sec. from p. a h.

an Ironwood 6 in. diam. N. 33 E. 4 k. diam.

a W. Oak 6 " " S 60 W. 15 " "

65.76 a B. Ash 10 " "

81.95 to Sec. Cor.

N. 10 W. Between Sections 29 & 30

32.90 a Beech 18 in. diam.

40.00 1st 2nd Sec. from p. a h.

a Beech 8 in. diam. N. 113 W. 31 k. x

T22 N. P. & E. 2nd Mer. Indiana.

Chs lks.

- a Beech 6th diam. to N 80 E. 31 lks.
 60.25 a Sugar 18 " "
 66.50 a Road E. S. E.
 80.00 Set 1st Int. Cor. to Sec. 19, 20, 29, 30 p. wh.
 a B. Ash 12 in. diam. to S 27 E. 13 lks.
 a Do 12 " " " S 63 W. 14 "
 Land Level rich Clay soil
 W. R. Oak, Beech, Sugar, B. Walnut,
 W. Wood, Ironw. W. B. Ash. —
 P. Ash & Spice

- East On Random Bita. Sec. 20 & 29
 80.18 Intersected N. & S. Line at post
 Land of same as last mile

- West On Same Line
 20.38 a Sugar 36 in. diam.
 40.09 Set 2nd Sec. post p. wh.
 a Hickory 10 in. diam. to N 38 W. 7 lks.
 a W. Oak 24 " " " S 63 E. 41 "
 61.18 an Elm 15 " "
 80.18 to Sec. Cor.

- West On Random Bita. Sec. 19 & 30
 18.00 a Road E. S. E.
 80.65 Intersected N. Boundary, 20 lks. N. of post
 Land Level rich Clay soil
 Beech, B. Walnut, Hickory, Sugar,
 W. Wood, Ironw. W. B. Ash, Sycamore,
 N. & B. Oak. — P. Ash & Spice

- East Cornered Bita. Sec. 19 & 30
 a Lym 12 in. diam. to N 63 E. 17 lks.
 a Do 10 " " " S 29 E. 43 "
 20.45 a B. Oak 40 " "
 40.65 Set 2nd Sec. post p. wh.

122 N. Q. 6 E. 2nd Mer. Indiana²⁰⁵
Ch. M.

a Beech 8 in. diam. R. 63 E. 19 k. x
a Do 6 " " " N 41 W. 11 "
37.00 an Elm 18 " "
80.65 to Cor. Cor.

North Bitumin Sections 19 & 20

15.00 Enter Swale E. of W.
15.50 a Sup. Oak 30 in. diam.
21.00 Lean Swale E. of W.
40.00 Set 2nd Sec. post p. w. h.
a W. Oak 36 in. diam. R. 74 W. 16 k. x
a Beech 10 " " " N 34 E 31 "
37.00 a B. Ash 10 " "
80.00 Set post Cor. to Sec. 17, 18, 19, 20 p. w. h.
a Beech 12 in. diam. R. 66 E. 38 k. x
a Do 8 " " " N 29 W. 23 "

Land Lull first rate - Clay
Soil - Beech, Sugar, W. & B. Oak, Elm,
W. Ash, Elm, Buckeye, Coffernut, W. Wood,
Ironw. - Some P. Ash -

East On Random Butte Sec. 17 & 20

80.00 Interrupted N. P. Line 15 k. S. of post
Land Lull first rate - Clay
Soil - Beech, Sugar, W. & B. Oak, Elm,
W. & B. Ash, Elm, Buckeye, Coffernut, W.
Wood, Ironw. - P. Ash & Spruce -

West Connected Butte Sec. 17 & 20

25.82 a Sugar 14 in. diam.
40.00 Set 2nd Sec. post p. w. h.
a Beech 6 in. diam. R. 45 E. 12 k. x
a Do 6 " " " N 25 W. 8 "
60.70 a W. Oak 24 " "
80.00 to Sec. Cor. Dec. 10. 1846

T. 22 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

West On Random Betw. Sec. 18 & 19

43.00 Enter Swale N. W.

58.00 Lean Do N. W.

65.00 a Road S. E.

79.00 Interrupted W. Barnay, 11 lks. S. of post
Land Swale rich Clay Soil -
Beech, W. B. Oak, Sugar, B. Ash, Lym.
Hickory, Sycamore, P. Ash & Spruce

East Cornelia Betw. Sec. 18 & 19

a B. Ash 12 in. diam. B. N. 32 E. 45 lks.

a Lym 12 " " " N. 4 E. 46 "

12.50 a W. Wood 12 " "

39.00 Set 2nd Sec. post for wh.

a Lym 12 in. diam. B. N. 32 W. 14 lks. &

a W. Oak 30 " " " N. 7 W. 42 "

46.82 an Elm 15 " "

79.00 to Sec. Cor.

North Bitumin. Section 17 & 18

16.20 a B. Oak 15 in. diam.

40.00 Set 2nd Sec. post for wh.

a B. Ash 12 in. diam. B. N. 45 E. 20 lks. &

a Do 10 " " " N. 75 W. 22 "

46.65 a Do 10 " "

66.00 Enter B. Ash & Maple Swale N. E. & S. W.

80.00 Set post Cor. to Sec. 7, 8, 17, 18. for wh.

a B. Ash 10 in. diam. B. N. 54 W. 22 lks.

a Maple 10 " " " N. 30 E. 39 "

Land except Swale for water -
Clay soil - W. B. Oak, Beech, Sugar,
Lym. Irono. Hickory, Sycamore & -
P. Ash & Spruce

East On Random Betw. Sec. 8 & 17

19.00 Lean Swale N. E. & S. W.

122 N. R. & E. 2nd Mer. Indiana. ²⁰⁷

Chs. Lk.

79.60 Interrupted N. S. Line 18 Lk. N. of post
Lane & Lane

West Cornuta Butte Sec. 8 & 17

33.25 a Syc 10 in. diam.

39.80 Set 2nd Sec. post p. wh.

a B. Oak 15 in. diam. P. N. 31 E. 29 Lk. x
an Elm 12 " " " 12 W. 26 "

67.58 a W. Oak 15 " "

74.60 to Sec. Cor.

West On Random Butte Sec. 7 & 18

44.00 Lean Swale N. E. of S. W.

79.13 Interrupted N. Boundary, 18 Lk. S. of post
Standing in Road

Lane fin. & half mile low
wt. Maple & B. Oak Swale remainder
Lure fin. rate - clay soil N. B. Oak
Beech, Sugar, W. Wood, Syc. Iron
Hickory &c

East Cornuta Butte Sec. 7 & 18

a B. Oak 10 in. diam. P. N. 39 E. 45 Lk.

a Do 10 " " " 165 E. 39 "

36.26 a Sycamon 20 " "

39.13 Set 2nd Sec. post p. wh.

an Elm 12 in. diam. P. N. 44 W. 13 Lk. x

a W. Oak 15 " " " 120 W. 26 "

67.33 a B. Oak 12 " "

79.13 to Sec. Cor.

North Between Sections 7 & 18

20.00 Lean Swale N. E. of S. W.

21.63 an Elm 15 in. diam.

46.00 Set 2nd Sec. post p. wh.

a Sugar 10 in. diam. P. N. 26 E. 22 Lk.

T22 N. R. & E. 2nd Mer. Indiana

Ch. Lk.

a Sugar 6 in. diam. 8th Log 112 lbs. &

62.53 a W. Oak 30 in. diam.

80.00 Set from Cor. to Sec. 5, 6, 7, 8 p. wh.

a Maple 12 in. diam. 8th 130 lbs. 17 lbs. &

a W. Wood 12 " " " 74 & 21 "

Same Sure except Swale
fine rate clay soil - B. Walnut, Sugar
Lynn, Hickory, Beech, White Wood
Prono, Buckeye - In Swale W & B.
Ash & Maple

East On Random Butte Sec. 5 & 8

71.00 Enter Swale. W & S.

79.70 Intermittent W & S. Line 30 lbs. L. of soil

Same Sure except Swale rich
fine rate clay soil - B. Walnut, Hickory,
Lynn, W & B. Ash, Beech, Sugar &
In Swamp Elm, B. Oak & Maple, W & B
Ash - Water one foot deep

West Cornelia Butte Sec. 5 & 8

20.00 a B. Ash 12 in. diam.

39.85 Set 2nd Sec. from p. wh.

a Beech 6 in. diam. 144 & 22 lbs. &

a Do 6 " " 47 & 26 "

59.05 a W. Ash 18 " "

79.70 to Sec. Cor.

West On Random Butte Sec. 6 & 7

78.00 Intermittent W. & B. Boundary 18 lbs. N. of soil

Same Sure fine rate, clay
soil - rather wet Sugar, Beech, Lynn,
Hickory, B. Walnut, W & B. Oak &

East Cornelia Butte Sec. 6 & 7

a Lynn 12 in. diam. 8th 18 & 53 lbs.

22 N. R. & E. 2nd Mer. Indiana ²⁰⁹
 chs. lks.

a Beech 12 in. diam. $\$306.88$ lks. x
 12.50 a B. Oak 20 " "
 38.00 Set 2nd Sec. from p. wh.
 a B. Ash 10 in. diam. $\$164.12$ lks. x
 a B. Oak 10 " " $\$44.9$ "
 57.80 a B. Ash 10 " "
 78.00 to Sec. Cor. -

North Between Sections 5 & 6.
 16.00 a W. Ash 18 in. diam.
 40.00 Set 2nd Sec. from p. wh.
 a B. Ash 10 in. diam. $\$76.26$ lks. x
 a W. Beech 8 " " $\$71.20$ "
 57.70 a W. Ash 18 "
 62.00 Enter Low B. Ash Lane N. E.
 77.20 Intersected N. Boundary at p. wh.
 a B. Ash 10 in. diam. $\$46.10$ lks. x
 a Do 8 " " $\$35.19$ "
 Lane full pine rate Clay
 soil B. Oak, Maple, Sugar, W. Wood,
 Elm, Sym. Sycamore, - W. Ash,
 P. Ash, & Spruce - Dec. 12 1846.

General Description

The Surface is level
 clay soil - rather too wet for farming
 purposes - Timbered with W. B. Oak,
 Sycamore, W. B. Oak, White Wood,
 Brownwood, Hickory, Maple, Buckeye,
 Sym. Cottonwood - P. Ash & Spruce

I James H. Mullett do
 solemnly swear that in pursuance of
 a Contract between Lucius Lyon Surveyor
 General of the United States for the

T22 N. R. & E. 2nd Mer. Indiana,
 chs. 11e.

State of Ohio, Indiana and
 Michigan; and John Mullett,
 Depy. Surveyor, bearing date the
 11th July 1846. — And in strict
 conformity to the Laws of the United
 States, and the Instructions of
 Said Surveyor General. I have
 Surveyed, and subdivided into
 Sections Township No. 22 N. Range
 No. 6 East in Indiana — And
 I do further swear, that the for-
 going, are the true and Original
 Field Notes of the said Survey
 and Subdivision executed as
 aforesaid by me, for the said
 John Mullett.

James H. Mullett
 Depy. Surveyor

Sworn & Subscribed before me this
 17th day of March 1847

H. T. Beecher
 Justice of the Peace Wayne
 County Michigan

I certify that the foregoing Trans-
 cript of the Field Notes of Township No.
 22 North, in Range No. 6 East 2nd Mer.
 Indiana, has been compared with the
 Original Notes in this Office and
 found to be correct
 Surveyor General's Office
 Detroit — Nov. 1. 1849. J

Lucius Lyon,
 Survey. Genl.